




## RAXTAR


RX4050FL - WIDE LOADER 0-36m/min






**OVERVIEW** 





**FRONT VIEW** 



**TOP VIEW** 

## Technical Data - RX4050FL - WIDE LOADER

CAPACITY 36m/min Payload 4000kg

Lifting Speed 0 - 36 m/min passengers

Counter Weight No Maximum Lifting Height 425m

**DIMENSIONS & WEIGHT** 

Hoist Car internal dimensions (L  $\times$  W  $\times$  H) 4.90  $\times$  3.00  $\times$  2.60m Ground Enclosure (L  $\times$  W  $\times$  H) 5.31  $\times$  5.38  $\times$  2.94m

Length mast section 1.51m

Max height freestanding n.a.

Weight mast section 120kg

**ELECTRICAL DATA** 

Motor 4 x 11kw
Power Supply 400v - 50hz, 3p
110 V / 230 V power on platform Standard, included
Overload device Standard, included
Automatic lubrication Optional

**HOIST CONTROLS** 

Controls SNL / PLC
User Interface Touch panel
Bluetooth communication Optional

Manual controls / erection controls Standard, included Drop test controls Standard, included

Programmable landings Optional
Hoist calling system Optional
RX Control, internet management control Optional

**GENERAL** 

Finishing Cabin / Ground Enclosure Galvanised / Powder Coated

Ground Enclosure Standard, included
Cable Trolley System Standard, included
Norms & Regulations Machine Directive

(EN121159+A1) / A10.4:2007 (USA) /

CSA Z185

RAXTAR of the Netherlands is a privately owned organisation that provides world class vertical access solutions: construction hoists for passengers & materials, material hoists, transport platforms and industrial lifts. RAXTAR builds on innovation & technology to deliver unequalled operational reliability at the lowest cost of ownership (TCO) in the market. RAXTAR is a synonym for meeting the highest-quality and safety standards.

21-29 West Circuit, Sunshine West, 3020 VIC, AUSTRALIA P. +61 3 9312 6497

E. sales@scanrent.com.au

www.scanrent.com.au



<sup>\*</sup>Data based on a standard configuration