




SCANCLIMBER®


SC2032F 0-36m/min




















Technical Data - SC2032F

CAPACITY 36m/min

Payload 2000kg Lifting Speed 0 - 36 m/min

Counter Weight No Maximum Lifting Height 200m

ELECTRICAL DATA

Motor 2 x 11kw

Power Supply 400V - 50hz, 3p

110 V / 240 V power on platform Standard, included

Overload device Standard, included

Automatic lubrication N/A

DIMENSIONS & WEIGHT

Hoist Car internal dimensions (L x W x H) 3.20 x 1.51 x 2.05m

Length Mast section1.5mWeight mast section - Single138kgWeight mast section - Double154kg

HOIST CONTROLS

Controls Frequency Control
User Interface Touch Panel / Joy Stick

Bluetooth communication N/A

Manual controls / erection controls Standard, included Drop test controls Standard, included

Programmable landings Optional
Hoist calling system Optional
SR Control, internet management control N/A

GENERAL

Finishing Cabin / Ground Enclosure Powder Coated
Company Logo & Colour Optional
Ground Enclosure Standard, included

C-Door Optional
Cable Trolley System Optional
Erection Jib Optional

Norms & Regulations Machine Directive (EN121159+A1) / A10.4:2007 (USA) / CSA Z185

Scanclimber is the world's technology leader in mast climbing equipment for both temporary and permanent installations. The company has it's corporate head office in Pirkkala, Finland and manufacturing in Gniezno, Poland. The company employs more than 200 staff in Europe and Asia. Scanclimber creates value for it's customers with high quality, reliable and flexible vertical access solutions.

21-29 West Circuit, Sunshine West, 3020 VIC, AUSTRALIA P. +61 3 9312 6497

E. sales@scanrent.com.au

www.scanrent.com.au



^{*}Data based on a standard configuration