Temporary Installations

GEDA® 3700 Z/ZP

GEDA® ORIGINAL



★ Big platform: 5.00 x 2.90 m ★

★ Soft start and stop as well as precise positioning on the landing ★

★ Load display in kg and monitoring of load distribution ★

★ Fully-compatible with the GEDA System ★

★ Four different platform variants available ★

★ Up to 3,700 kg load capacity ★

GEDA® 3700 Z/ZP



The access height depends on structural conditions (e.g. pit).



Space requirements



Platform A: 2.45 m
Platform B: 3.40 m
Platform C: 4.35 m
Platform D: 5.30 m

CE

TECHNICAL DATA

Load capacity		3700 kg/7 persons
Platform dimensions	**Platform A**	2.15 x 2.90 x 2.10 m (3700 kg)
	Platform B	3.10 x 2.90 x 2.10 m (3400 kg)
	Platform C	4.05 x 2.90 x 2.10 m (3200 kg)
	Platform D	5.00 x 2.90 x 2.10 m (3000 kg)
Lifting speed		12/24 m/min
Lifting height		100 m Further lifting heights upon request!
Power supply		28 kW/400 V/50 Hz/63 A

GEDA® ORIGINAL

Platform A



Platform dimension (inside):
2.15 x 2.90 m

Load capacity:
3700 kg/7 persons

Platform B



Platform dimension (inside):
3.10 x 2.90 m

Load capacity:
3400 kg/7 persons

Platform C



Platform dimension (inside):
4.05 x 2.90 m

Load capacity:
3200 kg/7 persons

Platform D



Platform dimension (inside):
5.00 x 2.90 m

Load capacity:
3000 kg/7 persons

Your GEDA-dealer:

bauma-Edition 04/2016/GB

GEDA-Dechentreiter GmbH & Co. KG

Mertinger Straße 60
86663 Asbach-Bäumenheim
Phone +49 (0) 906 9809-0
Fax +49 (0) 906 9809-50
info@geda.de
www.geda.de