


## GD1500 Z/ZP

12-24m/min




# GD1500 Z/ZP

Material Hoist / Transport Platform



# GD1500 Z/ZP

Material Hoist / Transport Platform



**GEDA** products have been sold in 80 different countries around the world. In addition to our subsidiaries in Germany, Russia, the USA and Turkey, our comprehensive dealer network plays a huge part in our worldwide success. GEDA is represented both in Europe and in the Pacific region through skilled professional dealers who are responsible both for sales and service in their local areas.

# Technical Data

## GD1500 Z/ZP

### CAPACITY

Payload	2000kg
Lifting Speed	12 - 24 m/min
Counter Weight	No
Maximum Lifting Height	100m

### 12-24m/min

### ELECTRICAL DATA

Motor	2 x 3.0/6.1kw / 32A
Power Supply	400V - 50hz, 3p
230 V power on platform	Standard, included
Overload device	Standard, included
Automatic lubrication	Standard, included

### DIMENSIONS & WEIGHT

Transport dimensions (L X W x H )	
Platform A	1.65 x 2.5 x 2.5m
Platform B, BS	3.35 x 2.5 x 2.5m
Platform BL	4.15 x 2.5 x 2.5m
Platform BLL	4.95 x 2.5 x 2.5m
Platform C, D	1.65 x 3.94 x 2.5m
Platform E, ED	1.65 x 3.94 x 2.5m
Platform F, G, I	1.65 x 5.4 x 2.5m
Platform GD, H	1.65 x 5.4 x 2.5m
Length of Uni mast section	1.5m
Weight of mast section - Single	44.4 kg

### HOIST CONTROLS

Manual controls / Erection controls	Standard, Included
Drop test controls	Standard, Included
Programmable landings	Optional
Hoist calling system	Optional

### GENERAL

Finishing Cabin / Ground Enclosure	Galvanised / Powder Coated
Company Logo & Colour	Optional
Ground Enclosure	(Optional)
Cable System	Basket
Erection Jib	Optional
Norms & Regulations	European Machine Directive CE 2006/42 EC Australian Standards

\*Data based on a standard configuration