



RX3240MF

92m/min







RX3240MF


Passenger and Material Hoist

(Single Configuration)













RX3240MFT

Passenger and Material Hoist (Twin Configuration)









RAXTAR

RAXTAR of the Netherlands is a privately owned organisation that provides world class vertical access solutions: construction hoists for passengers & materials, material hoists, transport platforms and industrial lifts. RAXTAR builds on innovation & technology to deliver unequalled operational reliability at the lowest cost of ownership (TCO) in the market. RAXTAR is a synonym for meeting the highest-quality and safety standards.



RX3240MF

CAPACITY 92m/min 3200 kg Payload 0 - 54 m/min Lifting Speed Counter Weight No

ELECTRICAL DATA

Maximum Lifting Height

Motor 2x 18,5 kW 400 V – 50 hz, 3p Power Supply 110 V / 230 V power on platform Standard, included Overload device Standard, included Automatic lubrication Optional

200m

DIMENSIONS & WEIGHT

Hoist Car internal dimensions (L x W x H) 3.90 x 1.52 x 2.60 m Ground enclosure (L x W x H) 4.31 x 2.69 x 2.94 m 1.51m Length Mast section

Weight mast section, single rack 120kg Weight mast section, double rack 150kg

HOIST CONTROLS

Controls Frequency control / SNL / PLC

User Interface Joystick / touch panel

Bluetooth communication Optional

Manual controls / erection controls Standard, included Drop test controls Standard, included

Programmable landings Optional Optional Hoist calling system RX Control, internet management control Optional

GENERAL

Finishing Cabin / Ground Enclosure Galvanised / Powder Coated

Company Logo & Colour Optional

Ground Enclosure Standard, included

C-Door Optional

Cable Trolley System Standard, included

Erection Jib Optional


Norms & Regulations Machine Directive (EN12159+A1) /

A10.4:2007 (USA)

*Data based on a standard configuration









43 Dunmore Drive Truganina VIC 3029