



**STANDARD**  
ACCESS

**RAXTAR**


## **RX2550FL - The Bear**

0-72m/min




## RX2550FL - The Bear


Wide Body Passenger and Material Hoist  
(Single Configuration)




O V E R V I E W



T O P   V I E W




S I D E   V I E W




F R O N T   V I E W

## RX2550FL - The Bear


Wide Body Passenger and Material Hoist  
(Twin Configuration)




O V E R V I E W



T O P V I E W



S I D E V I E W



F R O N T V I E W

**RAXTAR** of the Netherlands is a privately owned organisation that provides world class vertical access solutions: construction hoists for passengers & materials, material hoists, transport platforms and industrial lifts. RAXTAR builds on innovation & technology to deliver unequalled operational reliability at the lowest cost of ownership (TCO) in the market. RAXTAR is a synonym for meeting the highest-quality and safety standards.

# Technical Data

## RX2550FL - The Bear

### CAPACITY

Payload	2500kg
Lifting Speed	0 - 72 m/min
Counter Weight	No
Maximum Lifting Height	300m

### DIMENSIONS & WEIGHT

Hoist Car internal dimensions (L x W x H)	4.90 x 2.00 x 2.60 m
Ground enclosure (L x W x H)	5.31 x 3.41 x 2.94 m
Length Mast section	1.51m
Weight mast section, single rack	120kg
Weight mast section, double rack	150kg

### ELECTRICAL DATA

Motor	2 x 30kw
Power Supply	400 V – 50 hz, 3p
110 V / 230 V power on platform	Standard, included
Overload device	Standard, included
Automatic lubrication	Optional

### HOIST CONTROLS

Controls	Frequency control / SNL / PLC
User Interface	Joystick / touch panel
Bluetooth communication	Optional
Manual controls / erection controls	Standard, included
Drop test controls	Standard, included
Programmable landings	Optional
Hoist calling system	Optional
RX Control, internet management control	Optional
Weight mast section, double rack	150kg

### GENERAL

Finishing Cabin / Ground Enclosure	Galvanised / Powder Coated
Company Logo & Colour	Optional
Ground Enclosure	Standard, included
C-Door	Optional
Cable Trolley System	Standard, included
Erection Jib	Optional
Norms & Regulations	Machine Directive (EN121159+A1) / A10.4:2007 (USA)

\*Data based on a standard configuration